

ERRATUM

Open Access

Erratum to: Mode I critical fracture energy of adhesively bonded joints between glass fiber reinforced thermoplastics

Siripong Mahaphasukwat¹, Kazumasa Shimamoto¹, Shota Hayashida¹, Yu Sekiguchi² and Chiaki Sato^{2*}

* Correspondence:

csato@pi.titech.ac.jp

²Precision and Intelligence

Laboratory, Tokyo Institute of
Technology, 4259 Nagatsuta,
Midori-ku, Yokohama 226-8503,
Japan

Full list of author information is
available at the end of the article

The authors detected some errors in the main text of the above mentioned article [1], which the publisher would like to correct.

The correct versions of Equations 2, 5 and 7 are given below.

$$g_1 = \frac{P^2 dC}{2B da} \quad (2)$$

$$g_1 = \frac{P^2 a^2}{BEI} = \frac{12P^2 a^2}{B^2 h^3 E} \quad (5)$$

$$g_1 = \frac{P^2}{B\sqrt{EI}} \left(\frac{3\delta}{2P} \right)^{2/3} \quad (7)$$

Author details

¹Graduate school, Tokyo Institute of Technology, 4259 Nagatsuta, Midori-ku, Yokohama 226-8503, Japan. ²Precision and Intelligence Laboratory, Tokyo Institute of Technology, 4259 Nagatsuta, Midori-ku, Yokohama 226-8503, Japan.

Received: 22 April 2015 Accepted: 22 April 2015

Published online: 20 May 2015

Reference

1. Mahaphasukwat S, Shimamoto K, Hayashida S, Sekiguchi Y, Sato C. *Appl Adhes Sci* 2015, 3:4 doi:10.1186/s40563-015-0036-2

Submit your manuscript to a SpringerOpen[®] journal and benefit from:

- Convenient online submission
- Rigorous peer review
- Immediate publication on acceptance
- Open access: articles freely available online
- High visibility within the field
- Retaining the copyright to your article

Submit your next manuscript at ► springeropen.com